



## Alumet Control Direct

### Combines elegance, performance, and intelligence

- Best optical offer & efficacy
- Sustainable resistance to an active city life
- Great integration with a fine design and appearance



Photographs, line drawings and photometric data are representative only. For specific product detail please select an individual product.



96274719

### Material/Finish

Diffuser: clear UV stabilised PC treated with anti-graffiti varnish

Top cap: die-cast aluminium (EN AC-46000), standard corrosion class C3.

Column: extruded aluminium

Top/Column/Cover: powder coated textured silver grey (close to RAL 9006) Other RAL on request

### Installation/Mounting

3 or 4m high columns, flange or root mounted (MGR or MGS) Flange: 400 x 400mm, spacings: 300 x 300mm, bolts 18 x 400 (included). Total height (with lit part of 1.25m): 4.25m or 5.25m, Diameter: 200mm. Fixing of the head by one single tool. Access to LED via 2 M6 screws in the top. Access to the driver and electronic tray by lifting up the PC diffuser and the bottom components cover. Pre-wired with 4m cable.

### Specification

To specify state:

IP66 decorative lighting column with a unique design. Wide optical offer with a performance clear or a comfort prismatic variant. Post top mounting on dedicated columns. DALI, LRT, and motion detection as standard.

As Thorn Alumet Control Direct

## Alumet Control Direct

### Ordering Guide

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
<b>Alumet Control Direct LED, radial symmetric comfort optic</b>				
ALUMET CD 18L35-730 R/S PR HFX CL1 W4M	LED		10,1	96274719
ALUMET CD 18L35-730 R/S PR HFX CL2 W4M	LED		10	96274720
ALUMET CD 18L35-740 R/S PR HFX CL1 W4M	LED		10,1	96274721
ALUMET CD 18L35-740 R/S PR HFX CL2 W4M	LED		10	96274722
ALUMET CD 18L35-730 R/S PR LRT CL2 G4M	LED		10	96274723
ALUMET CD 18L35-740 R/S PR LRT CL2 G4M	LED		10	96274724
<b>Alumet Control Direct LED, radial symmetric performance optic</b>				
ALUMET CD 18L25-730 R/S CL HFX CL1 W4M	LED		10	96274725
ALUMET CD 18L25-730 R/S CL HFX CL2 W4M	LED		9,8	96274726
ALUMET CD 18L25-740 R/S CL HFX CL1 W4M	LED		10	96274727
ALUMET CD 18L25-740 R/S CL HFX CL2 W4M	LED		9,8	96274728
ALUMET CD 18L50-730 R/S CL HFX CL1 W4M	LED		10	96274729
ALUMET CD 18L50-730 R/S CL HFX CL2 W4M	LED		9,8	96274730
ALUMET CD 18L50-740 R/S CL HFX CL1 W4M	LED		10	96274731
ALUMET CD 18L50-740 R/S CL HFX CL2 W4M	LED		9,8	96274732
<b>Alumet Control Direct LED, narrow road asymmetric optic</b>				
ALUMET CD 24L35-730 NR-A CL HFX CL1 W4M	LED		9,9	96274855
ALUMET CD 24L35-730 NR-A CL HFX CL2 W4M	LED		9,7	96274856
ALUMET CD 24L35-740 NR-A CL HFX CL1 W4M	LED		9,9	96274857
ALUMET CD 24L35-740 NR-A CL HFX CL2 W4M	LED		9,7	96274858
ALUMET CD 24L35-730 NR-A CL LRT CL2 G4M	LED		9,8	96274859
ALUMET CD 24L35-740 NR-A CL LRT CL2 G4M	LED		9,8	96274860
ALUMET CD 24L25-730 NR-A CL HFX CL1 W4M	LED		9,9	96274733
ALUMET CD 24L25-730 NR-A CL HFX CL2 W4M	LED		9,7	96274734
ALUMET CD 24L25-740 NR-A CL HFX CL1 W4M	LED		9,9	96274735
ALUMET CD 24L25-740 NR-A CL HFX CL2 W4M	LED		9,7	96274736
ALUMET CD 24L25-730 NR-A CL LRT CL2 G4M	LED		9,8	96274737
ALUMET CD 24L25-740 NR-A CL LRT CL2 G4M	LED		9,8	96274738
<b>Alumet Control Direct LED, wet road symmetric optic</b>				
ALUMET CD 24L25-730 RWETS CL LRT CL2 G4	LED		9,8	96274847
ALUMET CD 24L25-740 RWETS CL LRT CL2 G4	LED		9,9	96274848
ALUMET CD 24L35-730 RWETS CL HFX CL1 W4	LED		9,9	96274849
ALUMET CD 24L35-730 RWETS CL HFX CL2 W4	LED		9,7	96274850
ALUMET CD 24L35-740 RWETS CL HFX CL1 W4	LED		9,9	96274851
ALUMET CD 24L35-740 RWETS CL HFX CL2 W4	LED		9,7	96274852
ALUMET CD 24L35-730 RWETS CL LRT CL2 G4	LED		9,8	96274853
ALUMET CD 24L35-740 RWETS CL LRT CL2 G4	LED		9,8	96274854
ALUMET CD 24L25-740 RWETS CL HFX CL2 W4	LED		9,7	96274772
<b>Alumet Control Direct LED, wide street comfort asymmetric optic</b>				
ALUMET CD 24L35-730 WSC-A CL HFX CL1 W4	LED		9,9	96274861

## Alumet Control Direct

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
ALUMET CD 24L35-730 WSC-A CL HFX CL2 W4	LED		9,7	96274862
ALUMET CD 24L35-740 WSC-A CL HFX CL1 W4	LED		9,9	96274863
ALUMET CD 24L35-740 WSC-A CL HFX CL2 W4	LED		9,7	96274864
ALUMET CD 24L35-730 WSC-A CL LRT CL2 G4	LED		9,8	96274865
ALUMET CD 24L35-740 WSC-A CL LRT CL2 G4	LED		9,8	96274866
ALUMET CD 24L25-730 WSC-A CL HFX CL1 W4	LED		9,9	96274739
ALUMET CD 24L25-730 WSC-A CL HFX CL2 W4	LED		9,7	96274740
ALUMET CD 24L25-740 WSC-A CL HFX CL1 W4	LED		9,9	96274741
ALUMET CD 24L25-740 WSC-A CL HFX CL2 W4	LED		9,7	96274742
ALUMET CD 24L25-730 WSC-A CL LRT CL2 G4	LED		9,8	96274743
ALUMET CD 24L25-740 WSC-A CL LRT CL2 G4	LED		9,8	96274744
<b>Alumet Control Direct LED, columns</b>				
ALUMET COL 4M MGR AL GRY NG			37,2	96259920
ALUMET COL 3M MPL AL FAI GRY NG			35	96259919
ALUMET COL 4M MPL AL NG R9999			36	96259932