



# ROTARY DIMMER VDWCM WHITE



Designation	VDWCM White
E-number	White: V-40V0009-501Y Black: V-40V0009-502Y
Item number	White: E13 610 21 Black: E13 610 22
Effect	9W
Input voltage	220-240Vac
Frequency, input	50Hz
Frequency, output	14,8kHz
Radio frequencies	2402MHz-2480MHz
Maximum radio frequency effect	4dBm
Standby effect	<0,5W
Control	Rotary control or Casambi
Memorizes last set mode	Yes, even in the event of a power cut
Overheating protection	Yes
Installation	Coupling box or surface-mounted box
Colour	White: Pure White (RAL9010) Signal White (RAL9003) Black: Jet Black (RAL9005) Graphite Grey (RAL7024)
Working humidity	0...80%, non-condensing
Working temperature	-20°C to + 40°C
Dimensions LxWxD	87x87x40mm
Weight	118g
Cable area	2,5mm <sup>2</sup> (AWG 22)
Max. cable length secondary side	10m
Protective material	Polykarbonat (PC)
Areas of use (Options)	Constant voltage (CV) or constant current (CC) dimmable LED
Insulation class	IP20
Protection class	II
Approvals	CE, UKCA



Besöks-/postadress:  
Hilma Anderssons gata 15  
421 31 Västra Frölunda

Telefon/fax:  
Tel. 031-23 56 00  
Fax. 031-22 60 10

E-post:  
info@vadsbo.net  
order@vadsbo.net

Webb/Facebook:  
www.vadsbo.net  
facebook.com/Vadsbo

